




बडीकेदार गाउँपालिका गाउँ कार्यपालिकाको कार्यालय

पत्र ख्या: २०८१/०८२

च नं: १२५

खड्यौली, डोटी
सुदूरपश्चिम प्रदेश, नेपाल



मिति: २०८१/०५/०६
ने.सं. ११४४ गुँलागा ३ बिहिवार

विषय: दररेट पेश गर्ने सम्बन्धि सूचना !!!

आई.सि.टी सामग्री बिक्री वितरण गर्ने फर्महरु
लगायत सरोकारवाला सबै ।

प्रस्तुत विषयमा आ.व. २०८१/०८२ मा शिक्षा तर्फको स्वीकृत कार्यक्रम अन्तरगत सामुदायिक विद्यालयहरुमा ICT ल्याब सामग्री खरिदको लागि प्रति इकाई लागत अनुमान तयार गर्नुपर्ने भएकोले यसै पत्रसाथ संलग्न रहेका ICT ल्याब सामग्री सामग्रीहरुको दररेट भरी (७) सात दिन भित्र फर्म दर्ताको प्रमाणपत्र, फर्म नवीकरण प्रमाणपत्र, करचुक्ता प्रमाण पत्र, प्यान/भ्याट दर्ता प्रमाणपत्र सहित यस कार्यालयको ईमेल ठेगाना doti.badikedar@gmail.com मा वा सोझै यस कार्यालयमा दर रेट पेश गर्नहुन यो सूचना प्रकाशन गरिएको छ ।

तपसिल

क्र.स.	विवरण	स्पेसिफिकेसन	इकाई	दर	कैफियत
१	ल्यापटप	यसै पत्रसाथ संलग्न गरिएको स्पेसिफिकेसन अनुसार			
२	डेस्कटप	यसै पत्रसाथ संलग्न गरिएको स्पेसिफिकेसन अनुसार			
३	प्रिन्टर	यसै पत्रसाथ संलग्न गरिएको स्पेसिफिकेसन अनुसार			
४	प्रोजेक्टर	यसै पत्रसाथ संलग्न गरिएको स्पेसिफिकेसन अनुसार			
५	कम्प्युटर टेवल	यसै पत्रसाथ संलग्न गरिएको स्पेसिफिकेसन अनुसार			
६	हार्ड डिस्क	यसै पत्रसाथ संलग्न गरिएको स्पेसिफिकेसन अनुसार			


सन्दिप न्योपाले
प्रमुख प्रशासकीय अधिकृत

Badikedar Rural Municipality
Office of the Rural Municipal Executive
Khadyauli, Doti
Sudurpaschim Province, Nepal
Desktop Computer Specification



Processor	12th Gen Intel® Core™ i5-12400 (18 MB cache, 6 cores, 12 threads, upto 4.80 GHz Turbo, 65W)
Graphics	Intel® UHD Graphics
Chipset	B660
Memory	1x 8GB SO-DIMM DDR4-3200, 2 Slot Max upto 64GB
Slots	One PCIe x16 slot
	One PCIe x1 slot or Two PCIe x1 slots + one PCI-32 slot
	Three SATA 3.0 slots
	One M.2 2230 slot for WiFi and Bluetooth combo card
	One M.2 2230/2280 slot for solid-state drive
Storage	256GB PCIe Gen3 x2 NVMe SSD
Audio	Integrated 5.1 Channel High Definition audio
Keyboard	Dell Keyboard and Mouse - English - Black
Case Color	Black
Dimensions (WxDxH)	Height (front): 324.30 mm (12.77 in.)
	Width: 154 mm (6.06 in.)
	Depth: 292 mm (11.50 in.)
Weight	6.75 kg (14.88 lb)
CONNECTIVITY	
Ethernet	Realtek RTL8111HSD, Integrated 100/1000M
WLAN + Bluetooth	Wi-Fi 5 (WiFi 802.11ac)
Ports	Front:
	2x USB 3.2 Gen 1 ports
	2x USB 2.0 ports
	1x Global headset jack
	1x SD-card slot
	Back:
	2x USB 2.0 ports
	2x USB 3.2 Gen 1 ports
	1x Audio line-out port
	1x HDMI 1.4b port
	1x DisplayPort 1.4
1x RJ-45 Ethernet port	
1x AC power-supply port	
Power	240 W internal PSU, 85% Efficient, 80 PLUS Bronze
Monitor	19" HD Monitor
Base Warranty	1 year
Included Upgrade	None

[Handwritten signatures]

[Handwritten signature]
सन्दिप न्योपाने
प्रमुख प्रशासकीय अधिकृत

Badikedar Rural Municipality
Office of the Rural Municipal Executive
Khadyauli, Doti
Sudurpaschim Province, Nepal



1. Laptop Specification

CPU	Intel Core i5-1235U Processor 1.3 GHz (10M Cache, up to 4.4 GHz, 10 cores)
RAM	8GB, onboard, LPDDR4, 3200 MHz
Display	15.6", FHD 1920 x 1080, 60Hz, WVA, Non-Touch, Anti-Glare, 250 nit, Narrow Border, LED-Backlit
Graphic	Nvidia MX550 2GB DDr5 Graphic
Connections	1 USB 3.2 Gen 1 Type-C® port with DisplayPort 1.4 (on 12th Gen Processor configured with Type-C®)* 1 USB 3.2 Gen 1 port (on systems configured with Type-C®) 2 USB 3.2 Gen 1 ports (on systems configured with non Type-C®) 1 USB 2.0 port 1 Power Jack 1 headset (headphone and microphone combo) port 1 HDMI 1.4 port HDMI 1.4 (Maximum resolution supported over HDMI is 1920x1080 @60Hz. No 4K/2K output)
Networking	Intel® Wi-Fi 6 AX201, 2x2, 802.11ax, Bluetooth® wireless card
Storage	512GB SSD
Size: Height x width x depth	Height (front): 16.96 mm (0.67 in.) Height (rear): 21.07 mm (0.83 in.) Width: 358.50 mm (14.11 in.) Depth: 235.56 mm (9.27 in.)
Battery	65 Watt AC Adapter
Weight	1.65 kg (3.65 lbs.)
Audio	Stereo speakers, 2 W x 2 = 4 W total
2. Hard Disk	2 TB
3. Computer Table	Wooden (Good Quality)

सन्दिप न्योपाने
प्रमुख प्रशासकीय अधिकृत

Badikedar Rural Municipality
Office of the Rural Municipal Executive
Khadyauli, Doti
Sudurpaschim Province, Nepal
Projector Specification



S.No	Description	Minimum Specification
1	Display Type	LCD
2	Resolution	1024*768
3	Brightness	3,300 Lumens
4	Projection Distance	1.76M
	Contrast Ratio	15,000:1
	Image Size	30 inches-350 inches
Lamp Details		
1	Type	UHE
2	Lamp Power	210W
3	Lamp Life	6000h Durability, 12000h Durability (Economy Mode)
Connectivity		
1	Interface	Supply Voltage: AC 100 V - 240 V, 50 Hz - 60 Hz
		Power Consumption: Interfaces: VGA in, HDMI in, USB 2.0 Type B
		USB Display Function: 2 in 1: Image / Mouse
2	Power	327 Watt, 225 Watt (economy), 0.3 Watt (standby), On mode power consumption as defined in JBMS-84 286 Watt
External Features		
1	Colour	Black/White
	Weight	2.1Kg
	Dimension	302*237*82MM
Warrenty		
1	Manufacturing Warranty	2 Years Parts and Service
2	Parts Warranty	Lamp: 12 Month or 1000hrs

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]
सन्दिप न्यौपाने
प्रमुख प्रशासकीय अधिकृत



Printer Specification

Copy Type	Monochrome Laser	
Copy Speed	Up to 18 / 19cpm (A4 / LTR)	
Copy Resolution	Speed priority mode:	600 x 400dpi
	Resolution priority mode:	600 x 600dpi
Halftones	256 levels	
Warm up Time (From Power On)	10secs. or less	
Recovery Time (From Sleep Mode)	2secs. or less (Copy)	
	0.3sec. or less (Print)	
First Copy Time (FCOT)	12.0 / 11.8secs. (A4 / LTR)	
Paper Source	150-sheet cassette	
Paper Weight	60 to 163g/m ² (cassette)	
Papet Output	100 sheets (face down)	
Zoom	50 - 200% in 10% increments	
Copy Size	Platen:	Up to A4 / LTR
Copy Features	2 on 1, ID Card Copy	
Copy Memory	64MB (Shared)	
Print		
Printer Type	Monochrome Laser	
Print Speed	Up to 18 / 19ppm (A4 / LTR)	
First Printout Time (FPOT)	7.8 / 7.7secs. (A4 / LTR)	
Print Language	UFR II LT	
Print Resolution	Up to 600 x 600dpi, 1200 (equivalent) x 600dpi	
Print Memory	64MB (Shared)	
Scan		
Scan Type	CIS	
Scan Resolution	Optical:	Up to 600 x 600dpi
	Driver enhanced:	Up to 9600 x 9600dpi
Colour Depth	24-bit	
Document Size	Platen:	Up to A4
Compatibility	TWAIN, WIA	
Output File Format	Windows:	Hi-Compression PDF, Searchable PDF, PDF, JPEG, TIFF, BMP
	Mac:	PDF, JPEG, TIFF, BMP, PNG
Pull Scan	Yes, USB	
Scan To PC	None	
Interface / Software		
Standard Interface	USB 2.0 Hi-Speed	
USB Function	Print, Scan	
Compatible Operating Systems* ¹	Windows 8 (32 / 64-bit), Windows 7 (32 / 64-bit), Windows Vista (32 / 64-bit), Windows XP (32 / 64-bit), Windows 2000, Mac OS X 10.4 - 10.8, Linux* ³	
General Specifications		
LCD Display	7 Segment (1 digit) LED	
Dimensions (W x D x H)	372 x 276 x 254mm (With the cassette closed)	
	372 x 371 x 254mm (With the cassette opened)	

[Handwritten signature]

[Handwritten signature]

[Handwritten signature]
मन्दिप न्येपाल



Weight	w/CRG:	8.2kg
	w/o CRG:	7.6kg
Power Consumption	Max:	960W
	During Operation:	450W
	Standby:	2.5W
	Sleep:	Approx.1.4W
TEC (Typical Electricity Consumption)	0.6kWh/W	
Toner Cartridge*4	Cartridge 325*2 (1,600 pages) (Bundled cartridge 700 pages)	
Monthly Duty Cycle	8,000 pages	
Recommended Monthly Print Volume	250 - 1,000 pages	

[Handwritten signature]

② *[Handwritten signature]*

[Handwritten signature]
सन्दिप न्यौपाने
प्रमुख प्रशासकीय अधिकृत